



**GOUGH**  
**PLASTICS**

*PROVIDING INNOVATIVE SOLUTIONS SINCE 1989*



**PRODUCT CATALOGUE**

2023 V2



GOUGH PLASTICS

# ONFARM DIESEL UNITS

Australian made, on-site, stationary diesel tanks ideal for safely storing and dispensing diesel.

Built with lockable pump compartments to prevent unauthorised use, this fast flow diesel pump will get your vehicle fueled up and back on the go.

Available as a Tank only, Tank and Piusi Pump or Tank, Pump and Skid Base.



- Impact resistant and non-rusting polyethylene tank
- Italian made Piusi Diesel Pump Kit with two year warranty
- Auto shut-off, heavy-duty dispensing nozzle to prevent overfilling
- Static grounding system
- 25mm anti-kink, diesel-grade delivery hose
- Three digit mechanical flow meter
- 2" fast fill point and anti-splash tube
- Vent fitting has gauze fitted to prevent vermin
- Tank level indicator
- Water filter included
- 12V 80LPM 4m hose, 240V 56LPM 6m hose or 240V 90LPM 8m hose
- Optional hot-dipped galvanised skid frame
- ASNZS 1940-2017 compliant when used with a compliant bund or compound

OnFarm Diesel Units	
Size	L x W x H
3,000L	1,900 x 2,350 x 2,250mm
5,000L	1,900 x 2,350 x 2,700mm

Part Number	Description	Price*
	3,000L HD Tank Tall (Diesel)	\$3,905.00
	5,000L HD Tank Tall (Diesel)	\$4,235.00
FFAR600.5020	OnFarm Diesel Fill Pipe 3,000L & 5,000L	\$429.00
FFAR500.6006	OnFarm Diesel Bowser Frame	\$1,320.00
FFAR600.5050	OnFarm Diesel Skid 3,000L and 5,000L	\$5,060.00
FFAR600.5029	12V 80LPM 4m Piusi Pump Package	\$4,125.00
FFAR600.5030	240V 56LPM 6m Piusi Pump Package	\$3,025.00
FFAR600.5031	240V 90LPM 8m Piusi Pump Package	\$3,850.00



Dimensions may vary by plus or minus 3% due to the rotational moulding process.

GOUGH PLASTICS

# SKID-MOUNTED DIESEL CARTAGE UNITS

Price includes Diesel Cartage Tank, Skid and Diesel Pump and Hose Kit.



640L | Length: 1,220mm  
Width: 1,160mm  
Height: 735mm



1,000L | Length: 1,599mm  
Width: 1,200mm  
Height: 1,014mm



1,500L | Length: 1,700mm  
Width: 1,350mm  
Height: 1,060mm



2,000L | Length: 2,100mm  
Width: 1,400mm  
Height: 1,163mm



3,000L | Length: 2,400mm  
Width: 1,570mm  
Height: 1,388mm




5,000L | Length: 2,400mm  
Width: 2,050mm  
Height: 1,728mm




GOUGH PLASTICS

# SKID-MOUNTED WATER CART UNITS

Price includes Cartage Tank, Skid, Honda GX Davey Pump and 30m x 20mm Hose Reel Kit. Steel mounting frames are hot-dip galvanised and forkliftable.



400L | Length: 1,450mm  
Width: 1,000mm  
Height: 950mm




640L | Length: 1,745mm  
Width: 1,220mm  
Height: 800mm



1,000L | Length: 2,215mm  
Width: 1,220mm  
Height: 1,100mm



1,500L | Length: 2,270mm  
Width: 1,350mm  
Height: 1,160mm



2,000L | Length: 2,695mm  
Width: 1,440mm  
Height: 1,200mm



3,000L | Length: 2,800mm  
Width: 1,580mm  
Height: 1,450mm



5,000L | Length: 2,800mm  
Width: 2,050mm  
Height: 1,800mm


\* All prices include GST, ex-Townsville factory and exclude delivery. For full price list go to [gough.com.au/price-list.htm](http://gough.com.au/price-list.htm). Prices may be subject to change without notice.



GOUGH PLASTICS

# WATER AND CHEMICAL CARTAGE TANKS

Water Cartage Tanks are **BLUE** (shown below). Chemical Cartage Tanks are **WHITE**.




**\$677.00\***

**400L**

Length: 1,000mm  
Width: 800mm  
Height: 845mm

Water: FFAR500.0401  
Chemical: FFAR500.0405




**\$1,012.00\***

**640L**

Length: 1,220mm  
Width: 1,160mm  
Height: 735mm

Water: FFAR500.0601  
Chemical: FFAR500.0605




**\$1,238.00\***

**1,000L**

Length: 1,599mm  
Width: 1,200mm  
Height: 934mm

Water: FFAR500.1101  
Chemical: FFAR500.1105




**\$1,749.00\***

**1,500L**

Length: 1,700mm  
Width: 1,350mm  
Height: 1,060mm

Water: FFAR500.1500  
Chemical: FFAR500.1503




**\$2,266.00\***

**2,000L**

Length: 2,100mm  
Width: 1,400mm  
Height: 1,134mm

Water: FFAR500.2021  
Chemical: FFAR500.2025




**\$3,060.00\***

**3,000L**

Length: 2,400mm  
Width: 1,570mm  
Height: 1,359mm

Water: FFAR500.3031  
Chemical: FFAR500.3035




**\$4,686.00\***

**2,750L  
in frame  
(with sump)**

Length: 2,325mm  
Width: 1,405mm  
Height: 1,566mm

Water: FFAR500.3301  
Chemical: FFAR500.3305



**\$4,758.00\***

**5,000L**


Length: 2,400mm  
Width: 2,050mm  
Height: 1,699mm

Water: FFAR500.5051  
Chemical: FFAR500.5055

GOUGH PLASTICS

# MOLASSES CARTAGE TANKS


Molasses Cartage Tanks shown with stub flange and butterfly valve (prices not included).



**\$1,067.00\***

**640L**


Length: 1,220mm  
Width: 1,160mm  
Height: 735mm  
FFAR500.0604



**\$1,425.00\***

**1,000L**


Length: 1,599mm  
Width: 1,200mm  
Height: 934mm  
FFAR500.1104



**\$1,991.00\***

**1,500L**


Length: 1,700mm  
Width: 1,350mm  
Height: 1,060mm  
FFAR500.1502



**\$2,767.00\***

**2,000L**


Length: 2,100mm  
Width: 1,400mm  
Height: 1,134mm  
FFAR500.2024



**\$3,702.00\***

**3,000L**


Length: 2,400mm  
Width: 1,570mm  
Height: 1,359mm  
FFAR500.3034



**\$5,176.00\***

**2,750L  
in frame  
(with sump)**


Length: 2,325mm  
Width: 1,405mm  
Height: 1,566mm  
FFAR500.3304



**\$5,324.00\***


**5,000L**

Length: 2,400mm  
Width: 2,050mm  
Height: 1,699mm  
FFAR500.5054



**Stub Flanges  
(weld-in)**

- With galvanised backing ring 3", 4" and 6"
- With stainless backing ring 3", 4" and 6"



**Butterfly Valves**

- 3", 4" and 6"

Dimensions may vary by plus or minus 3% due to the rotational moulding process.

4

GOUGH PLASTICS PRODUCT CATALOGUE

GOUGH PLASTICS

# CARTAGE TANKS AND TRAILERS


**Trailers available directly from our factory**

Designed and manufactured by Gough Plastics, our Cartage Tank Trailers are hot-dip galvanised and available for our 400L to 2,000L Cartage Tank range.

Our highly skilled team can customise a cartage tank and trailer unit specially for your needs.

**Unit Optional Extras**

- Diesel Powered Pump
- LED Indicators
- Creek Fill Kit
- Baffle Balls
- Road Legal




**1,500L WATER CART TRAILER UNIT  
INC TRAILER, TANK, PUMP & HOSE REEL KIT  
\$15,813.00\***

**WATER OR DIESEL OPTION**

**TRAILER ONLY \$10,357.00\***

**1,500L Tank Trailer**  
Length: 4,235mm  
Width: 1,900mm  
Deck Height: 671mm  
FFAR500.4010.15




**2,000L WATER CART TRAILER UNIT  
INC TRAILER, TANK, PUMP & HOSE REEL KIT  
\$16,225.00\***


**WATER OR DIESEL OPTION**

**TRAILER ONLY \$10,566.00\***

**2,000L Tank Trailer**  
Length: 4,565mm  
Width: 1,898mm  
Deck Height: 671mm  
FFAR500.4010.2




**LARGE \$17.00\***



**SMALL \$11.00\***

**Surge Stoppers**  
BMAM012 (Large)  
BMAM023 (Small)



**\$149.00\***

**Quick Fill Suction Kit**  
FFAR500.4003

\* All prices include GST, ex-Townsville factory and exclude delivery. For full price list go to [gough.com.au/price-list.htm](http://gough.com.au/price-list.htm). Prices may be subject to change without notice.

ORDER ONLINE AT [SHOP.GOUGH.COM.AU](http://SHOP.GOUGH.COM.AU)

5



GOUGH PLASTICS  
FEEDSMART TROUGHS



Ideal troughs for water, drylick, molasses and grain.  
We have a size for every need!



Stock Feed and Water Troughs - Round			
Part Number	Size	Diameter	Height
FFAR800.1000RGB	50L	650mm	350mm
FMAM500.1700VGN	170L	725mm	585mm
FFAR800.1100RGB	200L	1,150mm	315mm
FFAR800.1251RGB	380L	1,250mm	400mm
FFAR800.1250RGB	450L	1,250mm	540mm
FFAR800.1600RGB	600L	1,285mm	600mm
FFAR800.1750RGB	750L	1,570mm	570mm
FFAR800.2100RGB	2,300L	2,500mm	600mm

Stock Feed and Water Troughs - Rectangular			
Part Number	Size	L x W x H	
FFAR800.1300RGB	350L	2,160 x 700 x 340mm	
FFAR800.1480RGB	480L	2,180 x 900 x 392mm	
FFAR900.0008	750L	2,410 x 1,120 x 480mm	

380L - 600L FeedSmart Trough Cover			
Part Number	Colour	Diameter	Height
FFAR800.1610	Recycled Black	1,320mm	150mm
FFAR800.1611	Yellow	1,320mm	150mm
FFAR800.1611	Blue	1,320mm	150mm
FFAR800.1611	Grey	1,320mm	150mm



Dimensions may vary by plus or minus 3% due to the rotational moulding process.

GOUGH PLASTICS  
LICKROOF




A cattle feed shelter designed to protect lick supplement from wet weather conditions


- Roofs, frames and troughs nest together for easy transport
- Sold as a complete unit or as individual components



Troughs nest together for transport  
Suitable for F450 and F600 troughs



Roofs nest together for transport  
(approximately 40kg per roof)  
Allow 50mm for every additional roof in the stack



Frames flat pack for transport  
(approximately 68kg per frame)

LickRoof: RGB = ReGrind Black (recycled material), VGN = Virgin Powder	
Description	Price*
LickSkid or LickStand Frame, Roof and F450 Combo RGB	\$1,485.00
LickSkid or LickStand Frame, Roof and F450 Combo VGN	\$1,605.00
LickSkid or LickStand Frame, Roof and F600 Combo RGB	\$1,518.00
LickSkid or LickStand Frame, Roof and F600 Combo VGN	\$1,640.00
Add-on Tilting LickRoof Kit (optional extra)	\$182.00

GOUGH PLASTICS  
WATERSMART TROUGHS

Ideal water troughs for cattle, horses and other livestock

- Perfectly suited to small numbers of animals
- Simple installation, light-weight and user-friendly
- High quality float valve with 1" male connection
- The float is out of the water
- UV-stabilised, food-grade plastic for long life
- Recess for your external pipework giving added protection
- Designed to stack for transport

WaterSmart Trough and Valve				
Part Number	Size	Diameter	Height	Weight
FFAR800.4200	200L	1025mm	460mm	18kg
FFAR800.4400	400L	1200mm	580mm	25kg
FFAR800.4600	600L	1480mm	580mm	32kg



\* All prices include GST, ex-Townsville factory and exclude delivery. For full price list go to [gough.com.au/price-list.htm](http://gough.com.au/price-list.htm). Prices may be subject to change without notice.





Long, short, wide or round, there's a Gough Plastics MegaTrough just right for your paddock!

- Light-weight to transport and install by yourself
- Heavy-duty ribbed design to handle being knocked around
- Easy to empty and relocate
- The grey colour helps keep the water cooler
- Unique water ballast system within the hollow cavity



**\$418.00\***

**Low Conxion Kit**  
Suitable for 2.4m and Round MegaTroughs  
FFAR800.8001




**\$396.00\***

**High Conxion Kit**  
Suitable for 3m and 6m Long MegaTroughs  
FFAR800.5000


Our unique water ballast system for MegaTroughs

Water ballast makes the trough heavy once in place and filled, ensuring cattle can't move the trough. This is ideal for permanent installations.



Dimensions may vary by plus or minus 3% due to the rotational moulding process.

1.5m MegaTrough




750mm W x 400mm H  
25kg dry weight  
80kg ballast weight  
200L drinkable water  
FFAR800.1505



**\$594.00\***  
TROUGH, FLOAT COVER & FLOAT KIT

2.4m MegaTrough



1,200mm W x 600mm H  
100kg dry weight  
300kg ballast weight  
1,000L drinkable water  
FFAR800.2600

Registered Design No. 201510875



**\$1,689.00\***  
TROUGH, FLOAT COVER & CONXION KIT

Round MegaTrough



**\$1,656.00\***  
TROUGH, FLOAT COVER & CONXION KIT

1,940mm Dia x 600mm H  
100kg dry weight  
300kg ballast weight  
1,000L drinkable water


Registered Design No. 201214377

Round MegaTrough		
Part Number	Description	Price*
FFAR800.7000.1	1,000L Round MegaTrough	\$1,089.00
FFAR800.8000	Round & 2.4m Float Cover	\$149.00
FFAR800.8001	Conxion Kit	\$418.00

Allowing 2ft per beast, approx 10 head will fit around this trough.

\* All prices include GST, ex-Townsville factory and exclude delivery. For full price list go to [gough.com.au/price-list.htm](http://gough.com.au/price-list.htm). Prices may be subject to change without notice.

Long MegaTroughs



**\$2,327.00\***  
TROUGH, FLOAT COVER & CONXION KIT

**\$1,463.00\***  
TROUGH, FLOAT COVER & CONXION KIT

**3m MegaTrough**  
770mm W x 450mm H  
70kg dry weight  
200kg ballast  
500L drinkable water

**6m MegaTrough**  
770mm W x 450mm H  
150kg dry weight  
400kg ballast  
1,000L drinkable water

Long MegaTrough		
Part Number	Description	Price*
FFAR800.3000.2	3m Long MegaTrough	\$924.00
FFAR800.6000.2	6m Long MegaTrough	\$1,788.00
FFAR800.5002	Float Cover (length: 760mm)	\$143.00
FFAR800.5000	Conxion Kit	\$396.00




GOUGH PLASTICS

# MOLASSES FEEDING WITH MAXIBEAST®



A safe and effective way to feed molasses based supplements

- Eliminate livestock loss from falling in and drowning
- Cattle have to lick the supplement by turning the vertical wheels which help to regulate intake and prevent waste
- Ergonomically designed to make loading a one person job
- Made with translucent material to allow the liquid levels to be monitored from a distance. Other solid colours optional
- Fully pre-assembled by us ready to use
- High quality UV-stabilised Polyethylene construction



**MaxiBeast® 750L**  
Registered Design No. 201912258

**\$1,804.00\***

Length: 2,410mm  
Width: 1,120mm  
Height: 775mm  
85kg dry weight  
FFAR900.0002

**Roof Colour Options**

Other colours available on request.

- Maximise head per trough with an unrivalled 8 wheels
- May be bulk-filled in the paddock straight from the truck
- Trough and lid secure using 10mm stainless steel wing nuts and bolts for easy lid removal for cleaning
- 750L capacity = 1 tonne molasses (approx.)

**MaxiBeast® 35L**

**\$341.00\***

Length: 625mm  
Width: 405mm  
Height: 360mm  
5kg dry weight  
FFAR900.0088.1

- One wheel for single beasts or small herds
- Trough and lid secure using 10mm stainless steel wing nuts and bolts, making lid removal for filling and cleaning easy
- 35L capacity = 50kg molasses (approx.)

Dimensions may vary by plus or minus 3% due to the rotational moulding process.

GOUGH PLASTICS

# MOLASSES FEEDING

**Bulkezy**

Bulk-fill direct in paddock.  
Individual feed ports;  
less bullying, less waste.  
Allowing 2ft per beast;  
approximately 11 head will  
fit around this trough.  
2,300L capacity.



Bulkezy Floating Barrier	
Part Number	Description
FFAR800.2500RGB	System, including Barrier and F2300 Trough Combo

**EzyLicker**

Control liquid feed  
consumption and slow  
down your livestock  
feed-rate with EzyLicker  
1060 and 1340.  
Provides a safe landing  
place for wildlife.



EzyLicker Floating Licker Disc		
Part Number	Description	Price*
FFAR800.2003	EzyLicker 1060 (F380-F600)	\$220.00
FFAR800.2004	EzyLicker 1340 (F750)	\$237.00

GOUGH PLASTICS

# FORKLIFTABLE CONTAINERS

**Parts Bin**

Storage cube and pallet all in one. Weather-resistant.  
Lockable lid option. Holds approximately 400L.

**FLAT LID OPTION**

**\$594.00\***

Length: 1,100mm  
Width: 1,100mm  
Height: 510mm  
FMAM300.1010

**HIGH COVER OPTION**

**\$1,947.00\***

Length: 1,150mm  
Width: 1,150mm  
Height: 930mm  
FMAM300.1025

**1,000L Cube**

Lockable with access hatch  
and three lid options.

**\$1,210.00\***

Length: 1,150mm  
Width: 1,054mm  
Height: 1,215mm  
FMAM300.1000

**Plastic Pallet**

Easy to clean and ideal for  
cold rooms and export.

**\$165.00\***

Length: 1,165mm  
Width: 1,165mm  
Height: 175mm  
FMAM300.2000BLK

**IBC/Pallet Cover**

Durable, weather-resistant  
protective cover.

**\$237.00\***

Length: 1,240mm  
Width: 1,240mm  
Height: 200mm  
FMAM300.2050

**Triangular Fleet Identification Sign**

Highly visible, impact-resistant,  
rust-proof and easy to install  
(Hi-Vis identification not included).

**\$297.00\***

Length: 525mm  
Width: 605mm  
Height: 305mm  
FMAM700.0602

\* All prices include GST, ex-Townsville factory and exclude delivery. For full price list go to [gough.com.au/price-list.htm](http://gough.com.au/price-list.htm). Prices may be subject to change without notice.



55L Vertical Slimline Wellbody Tanks

- Fits most dual cab utes below tonneau cover
- 1/2" brass BSP outlet
- 55L Mounting Bracket Kit available
- 1,295mm L x 175mm W x 445mm H

† Not including hose or brackets

Part Number	Description	Price*
FBOX408.1005.6	55L Wellbody Bracket Kit	\$61.00
FBOX408.1007.1	Water Hose Kit	\$28.00
FBOX408.1007.2	Diesel Hose Kit	\$61.00
FBOX408.1005.9	55L Water Submersible Pump Kit	\$138.00
FBOX408.1005.8	55L Diesel Submersible Pump Kit	\$220.00
FBOX408.1005.7	55L Water Diaphragm Pump Kit	\$99.00



55L Wellbody Tank Water  
(Black)†  
FBOX408.1005



55L Wellbody Tank Water  
(Non Standard Colour)†  
FBOX408.1005.2



55L Wellbody Tank Water  
with Diaphragm Pump†  
FBOX408.1005.4



55L Wellbody Tank Water  
with Submersible Pump†  
FBOX408.1005.3



55L Wellbody Tank Diesel  
(Grey)†  
FBOX408.1005.1



55L Wellbody Tank Diesel  
with Submersible Pump†  
FBOX408.1005.5

65L Vertical Slimline Canopy Tanks

- For drop-side utes, open tray-backs or canopy
- 1/2" poly BSP outlet
- 65L Mounting Bracket Kit available
- 1,590mm L x 120mm W x 590mm H

† Not including hose or brackets

Part Number	Description	Price*
FBOX408.1006.6	65L Canopy Bracket Kit	\$72.00
FBOX408.1007.1	Water Hose Kit	\$28.00
FBOX408.1007.2	Diesel Hose Kit	\$61.00
FBOX408.1006.9	65L Water Submersible Pump Kit	\$154.00
FBOX408.1006.8	65L Diesel Submersible Pump Kit	\$237.00
FBOX408.1006.7	65L Water Diaphragm Pump Kit	\$105.00



65L Canopy Tank Water  
(Black)†  
FBOX408.1006



65L Canopy Tank Water  
(Non Standard Colour)†  
FBOX408.1006.2



65L Canopy Tank Water  
with Diaphragm Pump†  
FBOX408.1006.4



65L Canopy Tank Water  
with Submersible Pump†  
FBOX408.1006.3



65L Canopy Tank Diesel  
(Grey)†  
FBOX408.1006.1



65L Canopy Tank Diesel  
with Submersible Pump†  
FBOX408.1006.5

Dimensions may vary by plus or minus 3% due to the rotational moulding process.



Suitable for most  
traybacks and trailers.  
Easy-fit brackets.

Won't chip or dent and  
built tough to last in  
Australian conditions.



50L Diesel†  
L x W x D  
750 x 810 x 167mm  
FBOX405.8050.3



70L Diesel†  
L x W x D  
1,080 x 810 x 168mm  
FBOX405.8000.3



80L Diesel†  
L x W x D  
1,180 x 810 x 167mm  
FBOX405.8080.3



100L Diesel†  
L x W x D  
1,440 x 810 x 167mm  
FBOX405.8100.3



50L Water†  
L x W x D  
750 x 810 x 167mm  
FBOX405.8050



70L Water†  
L x W x D  
1,080 x 810 x 168mm  
FBOX405.8000



80L Water†  
L x W x D  
1,180 x 810 x 167mm  
FBOX405.8080



100L Water†  
L x W x D  
1,440 x 810 x 167mm  
FBOX405.8100



Slimline Water  
Hose Kit  
FBOX405.8001



15L Handwash  
Water Tank†  
L x W x H  
360 x 260 x 330mm  
FBOX401.1500



25L Handwash  
Water Tank†  
L x W x H  
580 x 210 x 420mm  
FBOX401.2550



30L Underbody  
Water Tank†  
L x W x H  
580 x 210 x 420mm  
FBOX401.3001 (BLACK)  
FBOX401.3002 (GREY)



40L Underbody  
Water Tank†  
L x W x H  
530 x 260 x 410mm  
FBOX401.4001



70L Truck Handwash  
Water Tank†  
L x W x H  
585 x 385 x 395mm  
FBOX404.7000



20L Rectangular  
Water Tank  
L x W x H  
300 x 200 x 480mm  
FBOX408.0200



60L Rectangular  
Water Tank  
L x W x H  
350 x 350 x 550mm  
FBOX408.0600



100L Rectangular  
Water Tank  
L x W x H  
350 x 350 x 940mm  
FBOX408.1000



30L Underbody  
Toolbox†  
L x W x H  
580 x 210 x 420mm  
FBOX406.3001 (BLACK)  
FBOX406.3002 (GREY)



Holds ropes, straps,  
jack, and recovery gear.  
Easy-fit brackets.

A4 Document Box

Protective storage for  
documents in vehicles.  
Water and dust resistant.

Length: 320mm  
Width: 150mm  
Height: 392mm  
FBOX805.0000

\$127.00\*



A5 Document Box

Protective storage for  
logbooks and documents  
on vehicles and equipment.

Length: 335mm  
Width: 70mm  
Height: 203mm  
FBOX805.0010

\$105.00\*



† Not including brackets.

\* All prices include GST, ex-Townsville factory and exclude delivery. For full price list go to [gough.com.au/price-list.htm](http://gough.com.au/price-list.htm). Prices may be subject to change without notice.



GOUGH PLASTICS

# VEHICLE AND RECREATION

- Lockable catches and hinged lid
- Moulded and riveted handles
- Tough, durable and stackable
- Various colours available
- UV-stabilised polyethylene
- Add a mould-on company logo

**T900 Highline**  
Length: 900mm  
Width: 550mm  
Height: 550mm  
FBOX804.9005H

**\$286.00\***

**T900 Lowline**  
Length: 900mm  
Width: 550mm  
Height: 410mm  
FBOX804.9005L

**\$275.00\***

**T1200 Lowline**  
Length: 1,200mm  
Width: 550mm  
Height: 410mm  
FBOX804.1205L

**\$319.00\***

**T450**  
Length: 450mm  
Width: 450mm  
Height: 450mm  
FBOX802.6405

**\$165.00\***

**T1200 Highline**  
Length: 1,200mm  
Width: 550mm  
Height: 550mm  
FBOX804.1205H

**\$336.00\***

- Cabin Box**
- Interior storage for vehicle cabins
  - Keeps tools and ancillaries clean, organised and secure

Part Number	Product	Length	Width	Height	Price*
FBOX804.0177	C500 Cabin Box	500mm	312mm	315mm	\$143.00
FBOX804.0178	C750 Cabin Box	750mm	350mm	350mm	\$517.00
FBOX804.0176	C1500 Cabin Box	1,500mm	350mm	350mm	\$242.00



GOUGH PLASTICS

# GREY WATER TRANSFER TANKS

## 200L Grey Water Transfer Tank

- Diameter: 560mm  
Height: 900mm
- 50mm outlet standard at 850mm from base (customisable)
- 100mm inlet standard at 400mm from base (customisable)

FENV900.0200



## 600L Grey Water Transfer Tank

- Diameter: 815mm  
Height: 1,315mm
- 50mm outlet standard at 940mm from base (customisable)
- 100mm inlet standard at 400mm from base (customisable)

FENV900.0100



All Grey Water Tanks include Davey D15VA pump hold down plates at base. Gough Plastics Grey Water Tanks must be installed by a licensed plumber.

Dimensions may vary by plus or minus 3% due to the rotational moulding process.

GOUGH PLASTICS

# ROUND AND SLIMLINE RAINWATER TANKS



The freedom to water your way. Conserve Australia's most precious resource and help with your water needs.

**\$2,294.00\***

10,000L

**\$1,903.00\***

9,000L

**\$1,700.00\***

7,500L

**\$1,331.00\***

5,500L

**\$1,172.00\***

5,000L Tall

**\$1,172.00\***

5,000L Short

**\$1,062.00\***

3,000L

**\$891.00\***

2,500L

**\$957.00\***

2,000L Tall

**\$726.00\***

1,450L

**\$633.00\***

1,000L Tall

**\$539.00\***

600L

Part Number	Litres	Dia	Height
FTAN.ST10000	10,000L	2.59m	2.28m
FTAN.ST09000	9,000L	2.45m	2.21m
FTAN.ST07500	7,500L	2.25m	2.20m
FTAN.ST05500	5,500L	2.41m	1.52m
FTAN.TL05000	5,000L Tall	1.75m	2.35m
FTAN.ST05000	5,000L Short	2.05m	1.82m

Part Number	Litres	Dia	Height
FTAN.ST03000	3,000L	1.60m	1.85m
FTAN.ST02500	2,500L	1.60m	1.52m
FTAN.ST02000	2,000L Tall	1.10m	2.48m
FTAN.ST01500	1,450L	1.25m	1.32m
FTAN.TL01000	1,000L Tall	0.90m	1.85m
FTAN.ST00600	600L	0.91m	1.27m

**\$2,123.00\***

5,000L Slim

**\$3,377.00\***

5,000L Slim Combo

**\$1,469.00\***

3,000L Slim

**\$1,320.00\***

2,000L Slim

**\$1,089.00\***

1,350L Slim

**\$418.00\***

375L

**Flex Connection Kits**

- Kits consist of flexi hose, s/s valve, hose clamps and thread tape
- 2" Kit standard on all 10,000L tanks
- 1" Kit is an optional extra on all other tanks

1" Outlet Kit  
FTAN204.0059 \$62.00\*

2" Outlet Kit  
FTAN204.0058 \$140.00\*

Part Number	Litres	Length	Width	Height
FTAN.SL05000	5,000L Slim	2.60m	1.26m	2.10m
FTAN.SLC05000	5,000L Slim Combo	4.50m	0.90m	1.85m
FTAN.SL03000	3,000L Slim	2.70m	0.85m	2.10m
FTAN.SL02000	2,000L Slim	1.65m	0.79m	2.15m
FTAN.ST01350	1,350L Slim	1.60m	0.75m	1.62m
FTAN.ST00375	375L Eaves	1.19m	0.60m	0.79m

Our Rainwater Tanks are manufactured from food-grade PE.

\* All prices include GST, ex-Townsville factory and exclude delivery. For full price list go to [gough.com.au/price-list.htm](http://gough.com.au/price-list.htm). Prices may be subject to change without notice.



## CHEMICAL STORAGE

### Chemical, Sullage, Process, Balance and Sludge Tanks

- Sizes from 375L to 10,000L
- Moulded thicker to handle high specific gravity liquids
- All tanks subject to chemical compatibility
- 3", 4", 6" connection kits
- Fill pipes
- Valves
- Level indicators



### 205L Drum and Lid

- Heavy-duty storage applications
- Chemical and corrosion resistant
- Various colours available
- Weather-resistant
- Add a mould-on company logo
- Drum Lid protects chemicals from spillage and the elements during transportation
- Lid strap channels enable drums to be easily secured for transport

**205L Drum  
(44 Gal)**

Diameter: 565mm  
Height: 905mm  
Drum *FMAM500.1900*  
Lid *FMAM300.3306*



## DAM FLOATS AND BUOYS

### Dam Float

Float designed for pumps on dams, with either in-line or off-set tabs.

Diameter: 550mm  
Height: 195mm  
Volume: 30L  
Max. Rec. Payload: 15kg  
*FFAR800.0100*



### Mooring Buoys

Buoys are used for public moorings. Standard Buoy has galvanised shackles. Standard and Honey Bee Buoys come in bright colours with mould-on identification graphics.



**Standard Buoy**  
Diameter: 600mm  
Height: 800mm  
Volume: 70L  
*FENV800.0005*



**Honey Bee Buoy**  
Diameter: 550mm  
Height: 950mm  
Volume: 110L  
*FENV800.0006*

## QUALITY FITTINGS



**Screw Hatch**  
455mm diameter  
Smart vent assembly  
Hinging



**Strainer Basket**  
455mm diameter, 210mm deep  
Suits 455mm screw hatch



**Poly Bulkheads**  
Suit chemical applications 1" and 2"



**Butterfly Valves**  
2", 3", 4", 5" and 6"



**Sight Tube Kit**  
Clear PVC flexible tubing  
2 x 1" poly elbows  
2 x s/s hose clamps  
2 x 1" poly bulkheads



**Moulded-in Inserts**  
Brass BSP female thread 2", 3" and 4"  
Stainless BSP female thread 2", 3" and 4"



**Ball Valves**  
Plated brass 2", 3" and 4"



**Brass Bulkheads**  
Suit water applications 1" and 2"



**Stub Flanges (weld-in)**  
With galvanised backing ring 4" and 6"  
With stainless backing ring 4" and 6"

